Safety Data Sheet

### **SECTION 1: Identification**

### 1.1. Identification

Product name : Empire Instant Tarnish Remover

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaning

### 1.3. Details of the supplier of the safety data sheet

Empire Chemical Company 111 North Main St. Blackwell, OK 74631

### 1.4. Emergency telephone number

Emergency number : 580-363-3440

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### Classification (GHS-US)

Skin Corr. 1A H314 Eye Dam. 1 H318 Carc. 1A H350 Repr. 2 H361

Full text of classification categories and H statements : see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS05

05 GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention

P310 - Immediately call a poison center/doctor P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

06/22/2016 EN (English US) Page 1

Safety Data Sheet

### **SECTION 3: Composition/information on ingredients**

Not applicable

#### 3.2. **Mixture**

Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	> 90	Not classified
Thiourea	(CAS No) 62-56-6	< 8	Acute Tox. 4 (Oral), H302 Carc. 1B, H350 Repr. 2, H361 Aquatic Chronic 2, H411
Octylphenol ethoxylate	(CAS No) 9036-19-5	< 3	Not classified
Sulfuric acid	(CAS No) 7664-93-9	< 2	Carc. 1A, H350

Full text of classification categories and H statements : see section 16

### **SECTION 4: First aid measures**

#### Description of first aid measures

First-aid measures after inhalation

: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

First-aid measures after skin contact : Flush with water for at least 15 minutes. Seek medical attention if irritation develops or persists. First-aid measures after eye contact

Immediately flush the eyes with plenty of water for at least 15 minutes while holding eyelids apart to ensure flushing of the entire surface of the eye. Continue flushing for an additional 15 minutes if a physician is not immediately available. Seek medical attention, preferably an

ophthalmologist, immediately.

Call poison center immediately. Do not induce vomiting unless directed by a physician or other First-aid measures after ingestion medical response official. Give a large amount of water and never give an unconscious person

anything by mouth.

#### Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact Causes severe burns. Symptoms/injuries after eye contact Causes serious eye damage.

Symptoms/injuries after ingestion : May be toxic and cause death if large quantities are swallowed.

### Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### 5.1. **Extinguishing media**

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. Explosion hazard : None known.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures 6.1.

#### 6.1.1. For non-emergency personnel

No additional information available

### For emergency responders

No additional information available

### **Environmental precautions**

Prevent entry to sewers and public waters.

### Methods and material for containment and cleaning up

For containment : Stop the flow of material, if this is without risk.

Methods for cleaning up Contain spill with inert material like clay or dirt and dispose of in accordance with local, state

and federal requirements.

06/22/2016 EN (English US) 2/7

### Safety Data Sheet

### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Keep container tightly closed.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Sulfuric acid (7664-93-9)		
ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (thoracic fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
IDLH	US IDLH (mg/m³)	15 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³

### 8.2. Exposure controls

Appropriate engineering controls : General (mechanical) room ventilation is expected to be satisfactory for normal handling.

Hand protection : Wear chemical resistant gloves when handling.

Eye protection : Wear safety glasses when handling. Skin and body protection : Wear appropriate working clothes.

Respiratory protection : If airborne concentrations are above the applicable exposure limits, use NIOSH approved

respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Pink
Odor : Lavender

Odor threshold : No data available

pH : <1

Melting point No data available Freezing point No data available Boiling point No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available

Specific gravity : 1.1

Solubility : No data available Log Pow No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity : No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available : No data available Explosive properties Oxidizing properties : No data available

### 9.2. Other information

No additional information available

06/22/2016 EN (English US) 3/7

## Safety Data Sheet

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

Will not occur.

### 10.4. Conditions to avoid

Keep away from heat or open flame while using, as hydrogen sulfide gas is released when tarnish is removed from silver and large quantities of this gas are toxic and flammable. Do not use on metals such as iron or steel which can release hydrogen gas when attacked by acid.

### 10.5. Incompatible materials

Strong bases, oxidizing agents, monel, steel, iron, aluminum, porous surfaces and antique finished silver.

### 10.6. Hazardous decomposition products

Not determined.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

•		
Water (7732-18-5)		
LD50 oral rat	> 90 ml/kg	
Thiourea (62-56-6)		
LD50 oral rat	1750 mg/kg	
LD50 dermal rat	> 6810 mg/kg	
LC50 inhalation rat (mg/l)	> 0.9 mg/l/4h	
ATE US (oral)	1750.000 mg/kg body weight	
Sulfuric acid (7664-93-9)		
LD50 oral rat	2140 mg/kg	
LC50 inhalation rat (mg/l)	510 mg/m³ (Exposure time: 2 h)	
ATE US (oral)	2140.000 mg/kg	
Octylphenol ethoxylate (9036-19-5)		
LD50 oral rat	1700 mg/kg	
ATE US (oral)	4190.000 mg/kg	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
	pH: < 1	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: < 1	
Respiratory or skin sensitization	Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Thiourea (62-56-6)		

Thiourea (62-56-6)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes
Sulfuric acid (7664-93-9)	
IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

06/22/2016 EN (English US) 4/7

### Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Thiourea (62-56-6)		
LC50 fish 1	> 600 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	35 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	10000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
Sulfuric acid (7664-93-9)		
LC50 fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	

#### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Thiourea (62-56-6)	
Log Pow	-0.92 (at 20 °C)
Sulfuric acid (7664-93-9)	
BCF fish 1	(no bioaccumulation)

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations

: Dispose of contents/container in accordance with local/regional/national/international regulations.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Class (DOT)

Transport document description : UN1760 Corrosive liquids, n.o.s. (Thiourea, Sulfuric Acid), 8, III

UN-No.(DOT) : UN1760

Proper Shipping Name (DOT) : Corrosive liquids, n.o.s.
Thiourea, Sulfuric Acid

: 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Symbols : G - Identifies PSN requiring a technical name

06/22/2016 EN (English US) 5/7

### Safety Data Sheet

DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs; Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672)

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

**MAWP** 

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

**DOT Vessel Stowage Other** : 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG) Number

: No supplementary information available. Other information

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Water	(7732-18-5)	
-------	-------------	--

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Thiourea (62-56-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 0.1 %

#### Sulfuric acid (7664-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

SARA Section 302 Threshold Planning 1000 lb Quantity (TPQ) SARA Section 313 - Emission Reporting

1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

### Octylphenol ethoxylate (9036-19-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. US State regulations

Thiourea (62-56-6)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	10 μg/day

### Thiourea (62-56-6)

U.S. - Massachusetts - Right To Know List

U.S. - Minnesota - Hazardous Substance List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

06/22/2016 EN (English US) 6/7

## Safety Data Sheet

### Sulfuric acid (7664-93-9)

- U.S. Massachusetts Right To Know List U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **SECTION 16: Other information**

### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Carc. 1A	Carcinogenicity Category 1A	
Carc. 1B	Carcinogenicity Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Repr. 2	Reproductive toxicity Category 2	
Skin Corr. 1A	Skin corrosion/irritation Category 1A	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H350	May cause cancer	
H361	Suspected of damaging fertility or the unborn child	
H411	Toxic to aquatic life with long lasting effects	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

EN (English US) 06/22/2016 7/7